


Wireline: Proposed Development

OS Reference: 257559 E 913044 N
Eye Level: 131.35 mAOD
Direction of View: 17.6 degrees
Nearest Turbine: 1.36 km


Horizontal field of view: 90° (cylindrical projection)
Principal distance: 522 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm



Wireline: Proposed Development

OS Reference: 256250 E 913877 N
Eye Level: 141.07 mAOD
Direction of View: 68.4 degrees
Nearest Turbine: 1.63 km


Horizontal field of view: 90° (cylindrical projection)
Principal distance: 522 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm



Wireline: Proposed Development

OS Reference: 256250 E 913872 N
 Eye Level: 141.07 mAOD
 Direction of View: 68.4 degrees
 Nearest Turbine: 1.63 km


Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 522 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 260 mm



Wireline: Proposed Development

OS Reference: 256250 E 913849 N
Eye Level: 140.95 mAOD
Direction of View: 67.6 degrees
Nearest Turbine: 1.64 km

Horizontal field of view: 90° (cylindrical projection)
Principal distance: 522 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm



Wireline: Proposed Development

OS Reference: 256250 E 913841 N
Eye Level: 140.55 mAOD
Direction of View: 67.4 degrees
Nearest Turbine: 1.64 km

Horizontal field of view: 90° (cylindrical projection)
Principal distance: 522 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm